

HIGH PERFORMANCE FANS



Size		Voltage V	Frequency Hz	Free Airflow		Maximum pressure		Noise level dBA	Norms and directives	Data sheets links
mm	"			l/s	CFM	mmH ₂ O	inchH ₂ O			
107 x 80 x 60 mm	4,21 x 3,15 x 2,36 "	27		28,70	60,84	31,24	1,23	58	CE RoHS	82DBT
120 x 120 x 38 mm	4,72 x 4,72 x 1,5 "	12		46,00	97,52	8	0,31	45	CE RoHS	125YG
		24		46,00	97,52	8	0,31	45	CE RoHS	
		28		46,00	97,52	8	0,31	45	CE RoHS	
130 x 64,5 mm	5,12 x 2,54 "	220	50	36,00	76,32	6,5	0,26	45	CE RoHS	80CE
			60	44,00	93,28	9	0,35	49	CE RoHS	
180 x 180 mm	7,08 x 7,08 "	220	50	126,00	267,12	28	1,10	63	CE RoHS	86CD
			60	144,00	305,28	38	1,50	66	CE RoHS	
				148,00	313,76	38	1,50	66	CE RoHS	
		380	50	126,00	267,12	28	1,10	63	CE RoHS	
			60	144,00	305,28	38	1,50	66	CE RoHS	
				148,00	313,76	38	1,50	66	CE RoHS	
180 x 87 mm	7,08 x 3,42 "	220	50	75,00	159,00	16	0,63	57	CE RoHS	85-86CB
			60	88,00	186,56	21	0,83	61	CE RoHS	
				127,00	269,24	22	0,87	60	CE RoHS	
		380	50	75,00	159,00	16	0,63	57	CE RoHS	
			60	88,00	186,56	21	0,83	61	CE RoHS	
				127,00	269,24	22	0,87	60	CE RoHS	
200 x 70 mm	7,87 x 2,75 "	28		260,00	551,20	95,75	3,77	74,8	CE RoHS	200D
		110		270,00	572,40	98,71	3,88	74,8	CE RoHS	
239,5 x 151 mm	9,43 x 5,94 "	28		273,00	578,76	100,14	3,94	75,5	CE RoHS	63DBV
239,5 x 181 mm	9,43 x 7,12 "	230	50	235,00	498,20	50,99	2,01	75	CE RoHS	61GR-M
			60	283,00	599,96	72,4	2,85	80	CE RoHS	
		400	50	235,00	498,20	50,99	2,01	75	CE RoHS	
			60	283,00	599,96	72,4	2,85	80	CE RoHS	
239,5 x 181 mm	9,43 x 7,12 "	230	50	188,00	398,56	54,04	2,13	74	CE RoHS	62GR
			60	224,00	474,88	72,4	2,85	79	CE RoHS	
		400	50	188,00	398,56	54,04	2,13	74	CE RoHS	
			60	224,00	474,88	72,4	2,85	79	CE RoHS	

HIGH PERFORMANCE FANS



Size		Voltage V	Frequency Hz	Free Airflow		Maximum pressure		Noise level dBA	Norms and directives	Data sheets links			
mm	"			l/s	CFM	mmH ₂ O	inchH ₂ O						
239,5 x 85 mm	9,43 x 3,35 "	230	50	96,50	204,58	8,16	0,32	57	CE RoHS	61GS-P-E			
				240,30	509,44	34,16	1,34	71	CE RoHS				
			60	116,50	246,98	11,73	0,46	59,5	CE RoHS				
				294,00	623,28	46,91	1,85	74	CE RoHS				
		400	50	96,50	204,58	8,16	0,32	57	CE RoHS				
				240,30	509,44	34,16	1,34	71	CE RoHS				
			60	116,50	246,98	11,73	0,46	59,5	CE RoHS				
				294,00	623,28	46,91	1,85	74	CE RoHS				
239,5 x 85 mm	9,43 x 3,35 "	230	50	190,00	402,80	31,1	1,22	67	CE RoHS	62GP			
			60	230,00	487,60	42,83	1,69	71,5	CE RoHS				
		400	50	190,00	402,80	31,1	1,22	67	CE RoHS				
			60	230,00	487,60	42,83	1,69	71,5	CE RoHS				
290 x 76,5 mm	11,41 x 3,01 "	110	50	220,00	466,40	2,7	0,11	55,5	CE RoHS	75G			
				275,00	583,00	6,4	0,25	54	CE RoHS				
		220	50	220,00	466,40	2,7	0,11	55,5	CE RoHS				
				275,00	583,00	6,4	0,25	54	CE RoHS				
			60	290,00	614,80	7,4	0,29	55	CE RoHS				
				0,00	0,00	7,5	0,30	55	CE RoHS				
		380	50	320,00	678,40	5,8	0,23	58	CE RoHS				
				330,00	699,60	8,9	0,35	58	CE RoHS				
		350 x 158 mm	13,77 x 6,22 "	220	50	410,00	869,20	15	0,59		61	CE RoHS	60CF-H
						775,00	1643,00	49	1,93		79	CE RoHS	
						780,00	1653,60	51	2,01		79	CE RoHS	
				380	50	410,00	869,20	15	0,59		61	CE RoHS	
775,00	1643,00					49	1,93	79	CE RoHS				
780,00	1653,60					51	2,01	79	CE RoHS				
60	480,00	1017,60	20	0,79	65	CE RoHS							

HIGH PERFORMANCE FANS



Size		Voltage V	Frequency Hz	Free Airflow		Maximum pressure		Noise level dBA	Norms and directives	Data sheets links
mm	"			l/s	CFM	mmH ₂ O	inchH ₂ O			
350 x 158 mm	13,77 x 6,22 "	220	50	485,00	1028,20	60	2,36	73	CE RoHS	97AC-CH
				490,00	1038,80	60	2,36	73	CE RoHS	
			60	560,00	1187,20	71	2,79	76	CE RoHS	
				570,00	1208,40	73	2,87	76	CE RoHS	
		380	50	490,00	1038,80	60	2,36	73	CE RoHS	
			60	570,00	1208,40	73	2,87	76	CE RoHS	
350 x 177 mm	13,77 x 6,97 "	127	50	850,00	1802,00	60	2,36	82	CE RoHS	60A
			60	975,00	2067,00	78	3,07	86	CE RoHS	
		220	50	850,00	1802,00	60	2,36	82	CE RoHS	
			60	975,00	2067,00	78	3,07	86	CE RoHS	
		380	50	850,00	1802,00	60	2,36	82	CE RoHS	
			60	975,00	2067,00	78	3,07	86	CE RoHS	
350 x 254 mm	13,77 x 10 "	220	50	514,00	1089,68	123	4,84	81	CE RoHS	97CJ
			60	600,00	1272,00	144	5,67	84	CE RoHS	
		380	50	514,00	1089,68	123	4,84	81	CE RoHS	
			60	600,00	1272,00	144	5,67	84	CE RoHS	
350 x 263 mm	13,77 x 10,35 "	26		514,00	1089,68	71,38	2,81	80,5	-	97DBW
350 x 274 mm	13,77 x 10,78 "	220	50	900,00	1908,00	102	4,01	87	CE RoHS	60CV
		380	50	900,00	1908,00	102	4,01	87	CE RoHS	