

Certificate of Compliance

Certificate Number **151206 - E132643**
Report Reference **E132643, December 6th, 2006**
Issue Date **2006 December 15**

Page 1 of 4



Issued to: **ECOFIT SA**
RUE MARC SEGUIN
Z I SUD BOITE POSTALE 8 41100 VENDOME CEDEX FRANCE



This is to certify that representative samples of **Motors**
See Addendum for Models

Have been investigated by Underwriters Laboratories Inc.® (UL) or any authorized licensee of UL in accordance with the Standard(s) indicated on this Certificate..

Standard(s) for Safety: **UL 1004 - Electric Motors**
CSA C22.2, No. 100 - Motors and Generators

Additional Information: See Addendum for Ratings

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:  may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada:  and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

Look for the UL Recognized Component Mark on the product

Issued by: **Philippe Salle**
Philippe Salle, Field Engineer

UL International France SA

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. UL International France SA

Reviewed by: **Guido Bonardi**
Guido Bonardi, Manager CAS I

UL International France SA

Certificate of Compliance

Certificate Number **151206 - E132643**
Report Reference **E132643, December 6th, 2006**
Issue Date **2006 December 15**

Page 2 of 4



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UR, cUR requirements.

Model	Phase	Pole #	Vmin	Vmax	Hz	Wmin	Wmax	Amax
2RS915M, 2SS915M	1	2	100 V	120 V	50/60 HZ	10	160	1.3
2RS915M, 2SS915M	1	2	200 V	240 V	50/60 HZ	10	175	0.7
2RS920M, 2SS920M	1	2	100 V	120 V	50/60 HZ	10	265	2.4
2RS920M, 2SS920M	1	2	200 V	240 V	50/60 HZ	10	260	1.4
2RS925M, 2SS925M	1	2	100 V	120 V	50/60 HZ	10	360	3.5
2RS925M, 2SS925M	1	2	200 V	240 V	50/60 HZ	10	400	2.3
2RS935M, 2SS935M	1	2	100 V	120 V	50/60 HZ	10	360	3.0
2RS935M, 2SS935M	1	2	200 V	240 V	50/60 HZ	10	395	2.0
2RS945M, 2SS945M	1	2	100 V	120 V	50/60 HZ	10	370	3.0
2RS945M, 2SS945M	1	2	200 V	240 V	50/60 HZ	10	530	2.3
2GS935M	1	2	100 V	120 V	50/60 HZ	10	340	2.8
2GS935M	1	2	200 V	240 V	50/60 HZ	10	480	2.4
2GS945M	1	2	100 V	120 V	50/60 HZ	10	385	3.2
2GS945M	1	2	200 V	240 V	50/60 HZ	10	540	2.3
2GS955M	1	2	100 V	120 V	50/60 HZ	10	480	4.0
2GS955M	1	2	200 V	240 V	50/60 HZ	10	655	2.4
2GS965M	1	2	100 V	120 V	50/60 HZ	10	690	6.0
2GS965M	1	2	200 V	240 V	50/60 HZ	10	760	3.4

Issued by: **Philippe Salle**
Philippe Salle, Field Engineer

UL International France SA

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. UL International France SA

Reviewed by: **Guido Bonardi**
Guido Bonardi, Manager CAS I

UL International France SA

Certificate of Compliance

Certificate Number **151206 - E132643**
 Report Reference **E132643, December 6th, 2006**
 Issue Date **2006 December 15**

Page 3 of 4



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UR, cUR requirements.

4RS915M, 4SS915M	1	4	100 V	120 V	50/60 HZ	10	160	1.3
4RS915M, 4SS915M	1	4	200 V	240 V	50/60 HZ	10	175	0.7
4RS920M, 4SS920M	1	4	100 V	120 V	50/60 HZ	10	265	2.4
4RS920M, 4SS920M	1	4	200 V	240 V	50/60 HZ	10	260	1.4
4RS925M, 4SS925M	1	4	100 V	120 V	50/60 HZ	10	395	3.5
4RS925M, 4SS925M	1	4	200 V	240 V	50/60 HZ	10	510	2.3
4RS935M, 4SS935M	1	4	100 V	120 V	50/60 HZ	10	360	3.0
4RS935M, 4SS935M	1	4	200 V	240 V	50/60 HZ	10	395	2.0
4RS945M, 4SS945M	1	4	100 V	120 V	50/60 HZ	10	370	3.0
4RS945M, 4SS945M	1	4	200 V	240 V	50/60 HZ	10	530	2.3
Model	Phase	Pole #	Vmin	Vmax	Hz	Wmin	Wmax	Amax
4GS935M	1	4	100 V	120 V	50/60 HZ	10	340	2.8
4GS935M	1	4	200 V	240 V	50/60 HZ	10	480	2.4
4GS945M	1	4	100 V	120 V	50/60 HZ	10	385	3.2
4GS945M	1	4	200 V	240 V	50/60 HZ	10	540	2.3
4GS955M	1	4	100 V	120 V	50/60 HZ	10	480	4.0
4GS955M	1	4	200 V	240 V	50/60 HZ	10	655	2.8
4GS965M	1	4	100 V	120 V	50/60 HZ	10	690	6.0
4GS965M	1	4	200 V	240 V	50/60 HZ	10	760	3.4

Issued by: **Philippe Salle**
Philippe Salle, Field Engineer

UL International France SA

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. UL International France SA

Reviewed by: **Guido Bonardi**
Guido Bonardi, Manager CAS I

UL International France SA

Certificate of Compliance

Certificate Number **151206 - E132643**
 Report Reference **E132643, December 6th, 2006**
 Issue Date **2006 December 15**

Page 4 of 4



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UR, cUR requirements.

Motor Model	Model Rating (V)	Capacitor Rating		
		uF (min)	uF (max)	V ac, minimum
2RS915M, 2SS915M, 4RS915M, 4SS915M,	100-120 V	0.5	25	250
2RS915M, 2SS915M, 4RS915M, 4SS915M,	200-240 V	0.5	15	400
2RS920M, 2SS920M, 4RS920M, 4SS920M,	100-120 V	0.5	50	250
2RS920M, 2SS920M, 4RS920M, 4SS920M,	200-240 V	0.5	30	400
2RS925M, 2SS925M, 4RS925M, 4SS925M,	100-120 V	0.5	50	250
2RS925M, 2SS925M, 4RS925M, 4SS925M,	200-240 V	0.5	30	400
2RS935M, 2SS935M, 4RS935M, 4SS935M,	100-120 V	0.5	50	250
2RS935M, 2SS935M, 4RS935M, 4SS935M,	200-240 V	0.5	30	400
2RS945M, 2SS945M, 4RS945M, 4SS945M,	100-120 V	0.5	50	250
2RS945M, 2SS945M, 4RS945M, 4SS945M,	200-240 V	0.5	30	400
2GS935M, 4GS935M,	100-120 V	0.5	50	250
2GS935M, 4GS935M,	200-240 V	0.5	30	400
2GS945M, 4GS945M,	100-120 V	0.5	50	250
2GS945M, 4GS945M,	200-240 V	0.5	30	400
2GS955M, 4GS955M,	100-120 V	0.5	50	250
2GS955M, 4GS955M,	200-240 V	0.5	30	400
2GS965M, 4GS965M,	100-120 V	0.5	50	250

Issued by: **Philippe Salle**
Philippe Salle, Field Engineer

UL International France SA

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. UL International France SA

Reviewed by: **Guido Bonardi**
Guido Bonardi, Manager CAS I

UL International France SA